

# **SAFETY DATA SHEET**

Creation Date 18-Jul-2014 Revision Date 23-Jul-2021 Revision Number 3

# 1. Identification

Product Name Cyclohexanol

Cat No. : A17576

**CAS No** 108-93-0

Synonyms Hexalin; Adronal; Cyclohexyl alcohol

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

## Details of the supplier of the safety data sheet

### Company

Alfa Aesar

Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757 **Email:** tech@alfa.com

www.alfa.com

#### **Emergency Telephone Number**

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660.

After normal business hours, call Carechem 24 at (866) 928-0789.

# 2. Hazard(s) identification

# Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids
Category 4
Acute oral toxicity
Category 4
Acute Inhalation Toxicity - Vapors
Category 4
Skin Corrosion/Irritation
Category 2
Serious Eye Damage/Eye Irritation
Category 2
Specific target organ toxicity (single exposure)
Category 3
Target Organs - Respiratory system.

### **Label Elements**

# Signal Word

Warning

#### **Hazard Statements**

Combustible liquid
Causes skin irritation
Causes serious eye irritation
May cause respiratory irritation
Harmful if swallowed or if inhaled



### **Precautionary Statements**

#### Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep cool

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

#### Skin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

### Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

# Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

#### Disposal

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Harmful to aquatic life with long lasting effects

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Cyclohexanol	108-93-0	>95

# 4. First-aid measures

**General Advice** 

If symptoms persist, call a physician.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and

effects

None reasonably foreseeable. Symptoms of overexposure may be headache, dizziness,

tiredness, nausea and vomiting

Notes to Physician Treat symptomatically

# 5. Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may

be used to cool closed containers.

Unsuitable Extinguishing Media No information available

**Flash Point** 67 °C / 152.6 °F

Method - No information available

Autoignition Temperature 300 °C / 572 °F

**Explosion Limits** 

Upper No data available

**Lower** 1.2 vol %

**Sensitivity to Mechanical Impact** No information available **Sensitivity to Static Discharge** No information available

### **Specific Hazards Arising from the Chemical**

Combustible material. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

# **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO2).

# **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

HealthFlammabilityInstabilityPhysical hazards221N/A

### 6. Accidental release measures

Personal Precautions Use personal protective equipment as required. Ensure adequate ventilation. Remove all

sources of ignition. Take precautionary measures against static discharges.

**Environmental Precautions** Should not be released into the environment. Do not flush into surface water or sanitary

sewer system.

**Methods for Containment and Clean** Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. **Up** Remove all sources of ignition.

# 7. Handling and storage

Handling Avoid ingestion and inhalation. Wear personal protective equipment/face protection. Ensure

adequate ventilation. Do not get in eyes, on skin, or on clothing. Keep away from open

flames, hot surfaces and sources of ignition.

Storage Keep away from heat, sparks and flame. Keep containers tightly closed in a dry, cool and

well-ventilated place.

# 8. Exposure controls / personal protection

### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	OSHA PEL NIOSH IDLH	
Cyclohexanol	TWA: 50 ppm	(Vacated) TWA: 50 ppm	IDLH: 400 ppm	TWA: 50 ppm
	Skin	(Vacated) TWA: 200 mg/m <sup>3</sup>	TWA: 50 ppm	
		Skin TWA: 200 mg/m <sup>3</sup>		
		TWA: 50 ppm	_	
		TWA: 200 mg/m <sup>3</sup>		

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures Use only under a chemical fume hood. Ensure adequate ventilation, especially in confined

areas. Ensure that eyewash stations and safety showers are close to the workstation

location.

### Personal Protective Equipment

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection** Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if

exposure limits are exceeded or if irritation or other symptoms are experienced.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and chemical properties

Physical StateLiquidAppearanceClearOdorStrong

Odor ThresholdNo information availablepH6.5 @ 20°C 40 g/L aq. sol

Melting Point/Range 23 °C / 73.4 °F

Boiling Point/Range 161 °C / 321.8 °F @ 760 mmHg

Flash Point 67 °C / 152.6 °F
Evaporation Rate No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits
Upper
No data available

Lower 1.2 vol %
Vapor Pressure 1.3 mbar (20°C)

Vapor Density No information available

Specific Gravity 0.960

**Solubility** 3.6g/100ml (20°C)

Partition coefficient; n-octanol/water

**Autoignition Temperature Decomposition Temperature** 

Viscosity

Molecular Formula Molecular Weight No data available 300 °C / 572 °F No information available No information available

C6 H12 O 100.16

# 10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Hygroscopic.

Conditions to Avoid Incompatible products. Exposure to moisture. Keep away from open flames, hot surfaces

and sources of ignition.

Incompatible Materials Strong oxidizing agents, Strong acids, Strong bases

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)

**Hazardous Polymerization** Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

# 11. Toxicological information

**Acute Toxicity** 

**Product Information** 

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Cyclohexanol	LD50 = 2.06 g/kg (Rat)	LD50 501 - 794 mg/kg (Rabbit)	LC50 > 3.63 mg/L (Rat) 4 h

**Toxicologically Synergistic** 

**Products** 

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes, respiratory system and skin

Sensitization No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Cyclohexanol	108-93-0	Not listed				

Mutagenic Effects Not mutagenic in AMES Test

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

**STOT - single exposure STOT - repeated exposure**Respiratory system
None known

Aspiration hazard No information available

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

delayed

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

# 12. Ecological information

#### **Ecotoxicity**

Do not empty into drains. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Cyclohexanol	EC50: = 29 mg/L, 96h	LC50: = 704 mg/L, 96h	EC50 = 42.5 mg/L 10 min	Not listed
	(Desmodesmus	flow-through (Pimephales	EC50 = 83 mg/L 5 min	
	subspicatus)	promelas)	EC50 = 955 mg/L 17 h	
	EC50: = 29.2 mg/L, 72h	LC50: = 1033 mg/L, 96h	_	
	(Desmodesmus	static (Pimephales		
	subspicatus)	promelas)		
		LC50: = 1100 mg/L, 96h		
		static (Lepomis macrochirus)		
		<u> </u>		

Persistence and Degradability

Soluble in water Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** 

No information available.

**Mobility** 

DOT

. Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Cyclohexanol	1.25

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information	
-	COMBUSTIBLE LIQUID NOT REGULATED. FOR TRANSPORT IN THIS QUANTITY	

According to 49 CRF §173.150(f)(1), this material should reclassified as NA1993,

Combustible Liquid, NOS if it is shipped in bulk.

UN-No NA1993

**Proper Shipping Name** Combustible liquid, n.o.s.

Packing Group III

TDG Not regulated Not regulated Not regulated Not regulated Not regulated

# 15. Regulatory information

# **United States of America Inventory**

Component	CAS No	TSCA	TSCA Inventory notification - Active/Inactive	TSCA - EPA Regulatory Flags
Cyclohexanol	108-93-0	Х	ACTIVE	-

### Legend:

TSCA - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

#### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Cyclohexanol	108-93-0	Х	-	203-630-6	Х	Χ	Х	Х	Х	KE-09187

#### U.S. Federal Regulations

#### **SARA 313**

Component	CAS No	Weight %	SARA 313 - Threshold Values %
Cyclohexanol	108-93-0	>95	1.0

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

**OSHA** - Occupational Safety and

Health Administration

Not applicable

CERCLA Not applicable

**California Proposition 65** This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know

Regulations

	Component	ponent Massachusetts		Pennsylvania	Illinois	Rhode Island	
Г	Cyclohexanol	X	X	X	=	X	

### **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

### U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

### Other International Regulations

Mexico - Grade No information available

## 16. Other information

Prepared By Health, Safety and Environmental Department

Email: tech@alfa.com

www.alfa.com

 Creation Date
 18-Jul-2014

 Revision Date
 23-Jul-2021

 Print Date
 23-Jul-2021

**Revision Summary** SDS authoring systems update, replaces ChemGes SDS No. 108-93-0/2.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information

relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**